



Batten Awning

Outrigger Awnings is an Australian Company, and all awnings are designed, engineered, and manufactured in Australia using the best available fabrics and materials




Details

An Outrigger Batten Awning is a lightweight demountable structure with aluminium battens sewn into fabric pockets. The battens stiffen the fabric, eliminate flapping and ensure the awning does not hold water. A batten awning is typically a 4 sided shape, and is manufactured from either 502 pvc or Outlook woven pvc coated mesh.




OUTRIGGER


BATTEN AWNING




FREESTANDING LARGE BATTEN AWNING




BATTEN SAIL




CUSTOM SHAPES




Pole Support Details




Wall Mounted Curved Batten Awning with 3 poles



Freestanding Curved Batten Awning with 6 poles



Facia Mounted Straight Batten Awning with 2 poles



Batten Awning Instructions

Outriggers batten awning is a demountable fabric structure. The estimated time to take the awning down is 40 minutes. It is envisaged the structure will be left up most of the time and the design is engineered as a Category One structure.


An Outrigger batten awning is designed to be left out in high winds and heavy rain.

Outriggers batten awning is designed and constructed in accordance with the Building Code of Australia. The wind loading for a batten awning is calculated using Australian Standard AS 4055- Wind Loads for Housing. Outriggers batten awning is a patented design which has been continuously improved and upgraded over the last 15 years.

The awning design does not place any pull out load onto the building as all the fabric tension loads are transferred through to the aluminium frame. The only load applied to the buildings wall is the weight of the awning, and the uplift load from the wind.

Outrigger recommends any one of the following three fabrics for a batten awning. For a rainproof awning we would recommend Ferrari 502 Awning pvc. For installations where maximum shade is required however it is not necessary for the awning to be rainproof, we would recommend Ferrari Soltis92 pvc shade mesh. For installations where maximum shade is required at minimum cost we would recommend Outlook pvc coated yarn.

All three of the recommended fabrics are extremely durable and should give a life in excess of 12 to 20 years. To maintain a clean appearance on light colours the fabric should be pressure cleaned with a wide angle spray nozzle at least once a year. Stubborn stains can be removed with a light detergent. Oil stains may be removed with Dry Cleaning Fluid.



OUTRIGGER AWNINGS
PO Box 7284 Warringah Mall NSW 2100
Phone: (02) 9905 8473 Fax: (02) 9905 8476
Email: info@outriggerawnings.com.au
www.outriggerawnings.com.au
ABN 20 003 718 554